

EXTRUDE•A•TRIM
The Aluminum Warehouse

RIGHT SHAPES
RIGHT PRICE
RIGHT NOW



EXTRUSIONS CATALOGUE



TERMS AND CONDITIONS OF SALE

SECTION 1
STANDARD SHAPES/STRUCTURAL SHAPES

SECTION 2
MIRROR, GLASS AND PANEL TRIM

SECTION 3
SLIDING TRACK SYSTEMS

SECTION 4
ASSORTED FIXTURE TRIM

SECTION 5
SHOWER ENCLOSURE

SECTION 6
TICKET MOULDING


SECTION 7
GLASS RAILING SYSTEM

SECTION 8
EX SIGN EXTRUSIONS

SECTION 9
ROLLER SHADE EXTRUSIONS

SECTION 10
ADHESIVES

CUSTOMER SERVICE • PHONE: 888-501-8689 FAX: (416) 798-1094
info@extrude-a-trim.com www.extrude-a-trim.com



Terms and Conditions of Sale

1. **Orders**
   - **a.** All orders are accepted and delivered only subject to these Terms and Conditions of Sale. Should there exist a contradiction between the Customer's and Extrude-A-Trim's Terms and Conditions of Sale, Extrude-A-Trim's Terms and Conditions of Sale will govern;
   - **b.** Prices are subject to change without notice. All taxes are in addition to the selling price;
   - **c.** Extrude-A-Trim means Extrude-A-Trim Inc. and Customer means the purchaser of the goods.

2. **Title/Risk of Loss/Insurance**

   Title to and risk of loss of the goods shall pass from Extrude-A-Trim to Customer when the goods, whether manufactured by Extrude-A-Trim or another, are placed in the possession of the carrier for shipment to Customer. Prior to shipment, Customer shall ensure that the goods are adequately insured from the time the risk of loss passes to Customer and continuously thereafter until all amounts due Extrude-A-Trim are paid in full. Customer grants a security interest in the goods until all unpaid amounts owing to Extrude-A-Trim have been paid.

3. **Customer's Remedy**

   Extrude-A-Trim's sole responsibility and liability and Customer's exclusive remedy shall be limited to the repair or replacement of goods or, at Extrude-A-Trim's option, return of the goods and refund of moneys paid thereon, without interest. IN NO EVENT SHALL EXTRUDE-A-TRIM BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES OR LEGAL FEES. Extrude-A-Trim's obligation hereunder is subject to receipt of written notice of defect from Customer within thirty (30) days after such alleged defect shall be reasonably apparent to Customer. If the written notice is not given within the prior time period, then remedy of the Customer, whether under these Terms and Conditions or under any other right shall end.

4. **Custom Orders**
   - **a.** "Custom Order" means any goods ordered or manufactured by Extrude-A-Trim for the Customer for the Customer's specific needs, including but not limited to fabricated material such as anodizing, painting, punching, bending, cutting and/or drilling;
   - **b.** All orders of 500 kgs and over are subject to a shipping tolerance of plus or minus 15%. If Customer requests in writing: Do not under ship or other similar words, then the order will be subject to a shipping tolerance of as much as plus 20%. If Customer requests in writing: Do not over ship or other similar words, then the order will be subject to a shipping tolerance of as much as minus 20%. Customer agrees that a shipment within these tolerances is fulfillment by Extrude-A-Trim of the order;
   - **c.** The buyer understands that all dies, tools, jigs, machinery and fixtures, are the seller's property and remain in the seller's possession even though the buyer is charged for such items. The charge is for the exclusive use of these items only. The seller will maintain these items for a period of 1 year after the completion of the most recent order provided the buyer does not become insolvent, bankrupt, make an assignment to creditors, let its credit account become in arrears or stop making current purchases. After 1 year from completion of the most current order on any particular tool, the seller may destroy or otherwise use these items without reference or accounting to the buyer;
   - **d.** The Customer and Extrude-A-Trim agree that the price shall be increased or decreased proportionately within the shipping tolerances;
   - **e.** The Customer agrees that any Custom Order cannot be returned and Customer cannot refuse to accept any Custom Order.



Terms and Conditions of Sale

5. Delay or Nonperformance

Extrude-A-Trim shall not be liable for failure or delay in its performance hereunder due in whole or in part to strikes, work stoppages, fires, acts of terrorism, accidents, acts, rebellions, civil commotion, public strife, acts of any government whether legal or otherwise, acts of public enemies, force majeure, inability to secure or delay in securing transportation, inability to obtain or delays in obtaining goods, materials, or qualified labor, or any other causes beyond Extrude-A-Trim's reasonable control including, without limitation, delays or inability to obtain product because of the actions of Extrude-A-Trim supplier.

6. Default

Customer shall be in default under this Agreement if any of the following occurs:

a. Customer refuses to accept shipment or fails to make any payment when due;

b. Customer dies, ceases to exist, becomes insolvent or the subject of bankruptcy, insolvency, or liquidation proceedings;

c. Any representation, warranty, condition or certification of Customer or any information provided by Customer in or pursuant to this Agreement is false in any material respect when made;

d. Extrude-A-Trim, in good faith, considers that payment or performance of any obligation of Customer to Extrude-A-Trim arising out of this Agreement or any other agreement between Customer and Extrude-A-Trim or any affiliate of Extrude-A-Trim is at risk.

7. Remedies Upon Default

In the event of Customer's default:

a. Customer shall pay Extrude-A-Trim interest at the rate of 24% per annum on all unpaid amounts and all unpaid amounts shall be immediately due and payable;

b. Extrude-A-Trim may take immediate possession of any of the goods and may suspend or cancel shipments to Customer;

c. Waiver, whether in writing or not, by Extrude-A-Trim of any breach or default shall not constitute a waiver of any subsequent breach or default;

d. Extrude-A-Trim shall be entitled to set off any amount owed by Customer or any of Customer's related entities against amount owed by Customer or any of Customer's related entities against any amount owing or to be owed by Extrude-A-Trim to Customer; and

e. Extrude-A-Trim shall have all the rights and remedies provided by law in addition to all other rights as established herein, which rights and remedies shall be cumulative.

8. Warranty


EXTRUDE-A-TRIM MAKES NO OTHER REPRESENTATIONS OR WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, EXCEPT AS PROVIDED IN WRITING SIGNED BY AN AUTHORIZED REPRESENTATIVE OF EXTRUDE-A-TRIM AND SPECIFICALLY EXCLUDES ALL LEGAL OR IMPLIED WARRANTIES INCLUDING, WITHOUT LIMITATION, ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Customer shall hold Extrude-A-Trim harmless and indemnify Extrude-A-Trim for any claims arising out of or relating to the design, specification or use of product sold by Extrude-A-Trim.


9. General

a. Interest shall be charged at the rate of 24% annually (similar to 2% monthly) on all over due accounts.

b. ***Dispute Resolution/Governing Law*** The validity, construction, and enforcement of this Agreement are covered by the laws of the Province of Ontario, Canada and the parties agree that the Province of Ontario is the sole jurisdiction where any court or other action shall be started. Customer must institute any action against Extrude-A-Trim within one (1) year after Customer's claim arises, or, subject to applicable law, such claim shall be barred notwithstanding any statutory limitations to the contrary.

c. Extrude-A-Trim may assign its rights and obligations under these Terms and Conditions of sale or any agreement, whether oral or in writing, between the Customer and Extrude-A-Trim, while the Customer may assign its rights and obligations only with the written consent of Extrude-A-Trim.




DRAWING	PART NUMBER	DIMENSIONS				LENGTH	FINISH
		E	A	T	I/R		
ANGLES - Equal Leg - Architectural							
	IE 1207	5/8"	5/8"	1/16"		12'	AN
	IE 1208	13/16"	13/16"	0.060"		21'	AN
	IE 1209	1/2"	1/2"	1/16"		8'	AN, BC
						12'	AN, BC, BK, SB, SS
						21'	ML
	IE 1210	1/2"	1/2"	0.045"		12'	AN
	IE 1212	3/4"	3/4"	0.045"		12'	AN, SB
	IE 1213	3/4"	3/4"	1/16"		8'	AN, BC, SB
						12'	AN, BC, BK, BS, SB, SS
						21', 24'	ML
	IE 1214	1"	1"	0.045"		12'	AN, BC
	IE 1215	1"	1"	1/16"		8'	AN, BC, SB
						12'	AN, BC, BK, BS, SB, SS
						21'	ML
	IE 1216	1 1/4"	1 1/4"	1/16"		12'	AN, ML, SB
	IE 1218	1 1/2"	1 1/2"	1/16"		12'	AN, BS
	IE 1232	3/4"	3/4"	1/8"		12'	AN, SB
						21', 24'	ML
	IE 1234	1"	1"	1/8"		8', 12'	AN
						21', 24'	ML
	IE 1235	1 1/4"	1 1/4"	1/8"		21', 24'	ML
	IE 1236	1 1/2"	1 1/2"	1/8"		8'	AN, BC
						12'	AN, BC, SS
						21', 24'	ML
	IE 1238	2"	2"	1/8"		12'	AN
						21', 24'	ML
	IE 1240	3"	3"	1/8"		12', 24'	AN
	IE 1241	3 1/2"	3 1/2"	1/8"		24'	ML
	IE 1244	1 1/2"	1 1/2"	1/4"		12'	AN
	IE 1250	2"	2"	1/4"		12'	AN




NOTE: Minimum order quantities may apply on 20ft, 21ft & 24ft material.

FINISHES: **AN**-Anodized, **BC**-Brite Clear, **BK**-Brite Black, **BR**-Brown, **BS**-Brass, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.




STANDARD SHAPES




DRAWING	PART NUMBER	DIMENSIONS				LENGTH	FINISH
		E	A	T	I/R		
ANGLES - Equal Leg - Architectural							
	IE 5892	1 1/2"	1 1/2"	3/32"		12'	ML
ANGLES - Rounded Inside Equal Leg - Structural							
	IE 1316	1 1/4"	1 1/4"	1/8"	0.125"	20'	ML
	IE 1334	1"	1"	1/8"	0.125"	20'	ML
	IE 1336	1 1/2"	1 1/2"	1/8"	0.125"	20'	ML
	IE 1339	2 1/2"	2 1/2"	3/16"	0.188"	20'	ML
	IE 1344	1 1/2"	1 1/2"	1/4"	0.250"	20'	ML
	IE 1350	2"	2"	1/4"	0.250"	20'	ML
	IE 1351	2 1/2"	2 1/2"	1/4"	0.250"	20'	ML
	IE 1352	3"	3"	1/4"	0.250"	20'	ML
	IE 1354	4"	4"	1/4"	0.250"	20'	ML
	IE 1356	6"	6"	3/8"	0.375"	20'	ML
	IE 1362	2"	2"	3/8"	0.375"	20'	ML
ANGLES - Unequal Leg - Architectural							
	IE 1406	1/4"	3/4"	1/16"		12'	AN, BC
	IE 1408	3/8"	7/8"	1/16"		12'	AN, BZ, SB
	IE 1410	1/2"	3/4"	0.050"		8'	AN
						12'	AN, BC
	IE 1411	1/2"	1"	1/16"		8'	AN
						12'	AN, BC, SS
	IE 1412	1"	1 1/2"	1/16"		12'	AN
	IE 1413	3/4"	1"	0.062"		12'	AN
	IE 1414	1"	2"	1/16"		12'	AN
	IE 1416	3/4"	1 1/2"	1/16"		12'	AN, BC, SB
	IE 1432	1/2"	1"	1/8"		12'	AN
	IE 1434	3/4"	1"	1/8"		12'	AN
						21', 24'	ML
	IE 1435	3/4"	1 1/2"	1/8"		8'	AN
						12'	AN, BC, SS
						21'	ML

NOTE: Minimum order quantities may apply on 20ft, 21ft & 24ft material.

FINISHES: **AN**-Anodized, **BC**-Brite Clear, **BZ**-Bronze, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.






DRAWING	PART NUMBER	DIMENSIONS				LENGTH	FINISH
		E	A	T	I/R		
ANGLES - Unequal Leg - Architectural							
	IE 1436	1"	1 1/2"	1/8"		12'	AN
						21'	ML
	IE 1437	1 1/2"	2"	1/8"		21', 24'	ML
	IE 1438	1"	2"	1/8"		12'	AN
						21', 24'	ML
	IE 1440	1"	3"	1/8"		12'	AN
						21', 24'	ML
	IE 1444	1 1/2"	2 1/2"	3/16"		20'	ML
	IE 1446	2"	4"	1/8"		12'	AN
	IE 1460	3/4"	4 1/4"	0.075"		10'	BC, SS
ANGLES - Rounded Inside Unequal Leg - Structural							
	IE 1536	1 1/2"	1"	1/8"	0.125"	20'	ML
	IE 1537	2"	1 1/2"	1/4"	0.250"	20'	ML
	IE 1544	2 1/2"	1 1/2"	1/4"	0.250"	20'	ML
	IE 1545	3"	2"	1/4"	0.250"	20'	ML
	IE 1560	3"	5"	1/4"	0.250"	20', 24'	ML
CHANNEL - Architectural							
	IE 1605	1/4"	1/4"	1/16"	0.125"	12'	AN, ML
	IE 1610	3/8"	3/8"	1/16"	1/4"	8'	AN, BC, SS
						12'	AN, BC, BS, SS
	IE 1611	3/8"	1/2"	1/16"	0.375"	12'	AN
	IE 1612	1/2"	3/8"	0.045"	0.270"	12'	AN, BC, SS
	IE 1613	1 1/4"	1/2"	1/16"	3/8"	12'	AN
	IE 1614	1/2"	1/2"	1/16"	3/8"	8', 12'	AN, BC
						12'	BS
						24'	ML
	IE 1615	3/4"	0.524"	1/16"	0.398"	8', 12'	BC, SS
	IE 1616	5/8"	5/8"	1/16"	1/2"	8'	AN, BC
						12'	AN, BC, BS
	IE 1617	5/8"	3/4"	1/16"	5/8"	8'	AN
						12'	AN, BC
	IE 1618	5/8"	7/8"	1/16"	3/4"	8'	AN, BC
						12'	AN, BC, BS, SB
	IE 1619	5/8"	1"	1/16"	7/8"	12'	AN
	IE 1620	5/8"	1 1/8"	0.055"	1"	12'	AN, BZ
	IE 1621	3/4"	9/16"	0.060"	7/16"	8'	AN, SS
						12'	AN, BC, BK, BS, BZ, SS

NOTE: Minimum order quantities may apply on 20ft, 21ft & 24ft material.

FINISHES: **AN**-Anodized, **BC**-Brite Clear, **BK**-Brite Black, **BS**-Brass, **BZ**-Bronze, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.




DRAWING	PART NUMBER	DIMENSIONS				LENGTH	FINISH
		E	A	T	I/R		
CHANNEL - Architectural							
	IE 1622	3/8"	9/16"	1/16"	7/16"	12'	AN, BK
	IE 1623	3/4"	3/4"	1/16"	5/8"	12'	AN
	IE 1624	1"	5/8"	1/16"	1/2"	8'	AN, BC
						12'	AN, BC, BK, BS
	IE 1633	3/4"	3/4"	3/32"	9/16"	12'	AN, BC
	IE 1634	3/4"	3/4"	1/8"	1/2"	12'	AN
						21', 24'	ML
	IE 1636	3/4"	1"	1/8"	3/4"	12'	AN
	IE 1638	1/2"	1"	1/8"	3/4"	12'	AN
						21', 24'	ML
	IE 1639	5/8"	1 1/4"	1/8"	1"	12'	AN
	IE 1640	1/2"	1 1/2"	1/8"	1 1/4"	12'	AN
						21', 24'	ML
	IE 1641	1/2"	3/4"	1/8"	1/2"	12'	AN
	IE 1642	1"	1"	1/8"	3/4"	12'	AN, BC, SS
						21', 24'	ML
	IE 1643	1 1/2"	1"	1/8"	3/4"	12'	AN, BC, SS
						21', 24'	ML
	IE 1644	1"	1 1/2"	1/8"	1 1/4"	8'	AN
						12'	AN
						24'	ML
	IE 1645	3/4"	1 3/4"	0.090"	1 1/2"	12'	AN
	IE 1646	1"	2"	1/8"	1 3/4"	12'	AN
						21'	ML
	IE 1647	1/2"	2"	1/8"	1 3/4"	12'	AN
	IE 1648	1"	3"	1/8"	2 3/4"	12'	AN
	IE 1650	2"	1"	1/8"	3/4"	12'	AN, SS
						24'	ML
	IE 1651	1 1/2"	1 1/2"	1/8"	1 1/4"	21', 24'	ML
	IE 1654	2"	1 3/4"	1/8"	1 1/2"	12'	AN
CHANNEL - Rounded Outside - Architectural							
	IE 1625*	3/8"	9/16"	0.080"	0.403"	12'	AN, BC, SB, SS
	IE 1626*	3/8"	0.678"	0.080"	0.518"	12'	AN, BC, SB, SS
	IE 1627*	3/4"	9/16"	0.080"	0.403"	98", 12'	AN, BC, SB, SS
	IE 1628*	3/4"	0.678"	0.080"	0.518"	12'	AN, BC, SB, SS






***Radius Dimensions: R1 - 0.031", R2 - 0.063", R3 - 0.031"**

NOTE: Minimum order quantities may apply on 20ft, 21ft & 24ft material.

FINISHES: AN-Anodized, **BC**-Brite Clear, **BK**-Brite Black, **BS**-Brass, **BZ**-Bronze, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.





DRAWING	PART NUMBER	DIMENSIONS				LENGTH	FINISH
		E	A	T	I/R		
CHANNEL - Rounded Inside - Structural							
	IE 1729	1 1/2"	2"	1/8"	0.125"	20'	ML
	IE 1754	2"	3"	1/4"	0.188"	20'	ML
	IE 1755	2"	4"	3/16"	0.375"	20'	ML
	IE 1756	1 1/2"	3"	1/4"	0.312"	20'	ML
	IE 1757	2"	6"	0.281"	0.437"	20'	ML
	IE 1760	2"	4"	1/4"	0.250"	24'	ML
	IE 1776	3"	8"	9/32"	0.500"	24'	ML
	IE 1778	2 1/2"	6"	1/4"	0.437"	20'	ML
	IE 1782	3"	10"	9/32"	0.562"	20'	ML
T BAR - Architectural							
	IE 1830	3/4"	3/4"	1/8"		12'	AN
	IE 1831	1"	2"	1/8"		12'	ML
	IE 1832	1"	1"	1/8"		12'	AN, ML
	IE 1834	2"	2"	1/8"		12'	AN
	IE 1837	2"	1"	0.118"		12'	ML
T BAR - Rounded Inside - Structural							
	IE 1936	1 1/2"	1 1/2	3/16"	0.188"	12', 24'	ML
	IE 1938	2"	2"	1/4"	0.250"	20', 24'	ML
SOLID BAR - Half Oval							
	IE 2013	9/64"	3/8"			12'	AN, BC
	IE 2014	9/64"	1/2"			12'	AN, BC
	IE 2015	9/64"	11/16"			12'	AN, BC
	IE 2016	3/16"	3/4"			12'	AN, BC
	IE 2018	3/16"	1"			12'	AN
SOLID BAR - Square							
	IE 2406	1/4"	1/4"			12'	AN, BC, ML
	IE 2408	1/2"	1/2"			12'	AN, ML
	IE 2409	3/4"	3/4"			12'	ML
	IE 2466	1"	1"			12'	ML
	IE 2490	1 1/2"	1 1/2"			12'	ML

NOTE: Minimum order quantities may apply on 20ft, 21ft & 24ft material.

FINISHES: **AN**-Anodized, **BC**-Brite Clear, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.




DRAWING	PART NUMBER	DIMENSIONS				LENGTH	FINISH
		E	A	T	I/R		
SOLID BAR - Rectangular							
	IE 2312	1/16"	1/2"			12'	AN, ML
	IE 2314	1/16"	3/4"			12'	AN, ML
	IE 2316	1/16"	1"			12'	AN, ML
	IE 2318	1/16"	1 1/2"			12'	AN, ML
	IE 2410	1/8"	3/8"			12'	AN, BC
	IE 2412	1/8"	1/2"			8', 12'	AN, BC, BK
	IE 2413	1/8"	5/8"			12'	AN
	IE 2414	1/8"	3/4"			8' 12' 20'	AN AN, BC ML
	IE 2416	1/8"	1"			8' 12' 20', 24'	AN AN, BC ML
	IE 2418	1/8"	1 1/2"			12' 20'	AN, BC, BZ, SB ML
	IE 2420	1/8"	2"			12' 20', 24'	AN, BS ML
	IE 2421	1/4"	1/2"			20'	ML
	IE 2426	1/8"	3"			12' 20'	AN ML
	IE 2428	1/8"	4"			12' 20'	AN ML
	IE 2429	1/4"	3/4"			12' 20'	AN, ML ML
	IE 2430	1/4"	1"			12' 20'	AN, BC, ML ML
	IE 2431*	1/4"	1 3/4"			12', 20'	ML
	IE 2432	1/4"	1 1/2"			12' 20'	AN, ML ML
	IE 2434	1/4"	2"			12' 20'	AN, ML ML
	IE 2436	3/8"	3/4"			12', 20'	ML
	IE 2437	1/4"	3"			12', 20'	ML



***Min. 250lb order qty on 12ft length only.**

NOTE: Minimum order quantities may apply on 20ft, 21ft & 24ft material.

FINISHES: AN-Anodized, **BC**-Brite Clear, **BK**-Brite Black, **BZ**-Bronze, **ML**-Mill, **SB**-Satin Black

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.





DRAWING	PART NUMBER	DIMENSIONS				LENGTH	FINISH
		E	A	T	I/R		
SOLID BAR - Rectangular							
	IE 2438	3/8"	1"			12', 20'	ML
	IE 2439	1/4"	4"			12', 20'	ML
	IE 2440	1/4"	5"			12', 20'	ML
	IE 2441	3/4"	1"			10', 12', 20'	ML
	IE 2442	1/2"	3/4"			12', 20', 24'	ML
	IE 2443	1/4"	6"			12', 20'	ML
	IE 2444	1/2"	1"			12', 20'	ML
	IE 2446	3/8"	2 1/2"			20'	ML
	IE 2447	3/16"	2 1/2"			20'	ML
	IE 2448	1/2"	1 1/2"			12', 20'	ML
	IE 2449	1/4"	3 1/2"			12', 20'	ML
	IE 2450	1/2"	2"			12', 20'	ML
	IE 2454	3/8"	1 1/2"			12', 20'	ML
	IE 2455	1/2"	3"			12', 20'	ML
	IE 2458	3/4"	3"			12', 20'	ML
	IE 2459	1/2"	4"			12', 20'	ML
	IE 2460	1/2"	5"			12'	ML
	IE 2461	1/4"	1 1/2"			12', 20'	ML
	IE 2468	1/4"	8"			12', 20'	ML
	IE 2470	1"	1 1/2"			12', 20'	ML
	IE 2473	3/8"	3"			12'	ML
	IE 2480	1"	2"			12', 20'	ML
	IE 2482	1"	3"			12', 20'	ML
SOLID BAR - Round							
	IE 2809	15/64"				12'	ML
	IE 2810	1/4"				12'	AN, BC, ML
	IE 2812	3/8"				12'	AN, ML
						24'	ML
	IE 2814	1/2"				12'	ML
	IE 2815	5/8"				12'	ML
	IE 2816	3/4"				12'	BC, ML
	IE 2817	7/8"				12'	ML
	IE 2818	1"				12'	ML
	IE 2822	1 1/2"				12'	ML
	IE 2824	2"				12'	ML
	IE 2826	2 1/2"				12'	ML
	IE 2828	3"				12'	ML

NOTE: Minimum order quantities may apply on 20ft, 21ft & 24ft material.

FINISHES: AN-Anodized, **BC**-Brite Clear, **ML**-Mill

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.



DRAWING	PART NUMBER	DIMENSIONS				LENGTH	FINISH
		E	A	T	I/R		
HOLLOW TUBE - Round							
	IE 3009	0.480"	0.039"			12'	ML
	IE 3012	1/2"	0.050"			12'	AN, BC
	IE 3014	5/8"	0.065"			12'	AN
	IE 3016	3/4"	0.050"			12'	AN
	IE 3017	3/4"	0.065"			12'	AN
						21'	ML
	IE 3018	7/8"	1/16"			12'	AN
						21'	ML
	IE 3030	1"	0.050"			12'	AN, BC
	IE 3034	1 1/2"	1/16"			12'	AN
						12', 24'	ML
	IE 3036	2"	1/16"			12'*	AN, ML
						20'	ML
	IE 3038	3"	1/16"			12'*	ML
	IE 3039	2"	1/8"			20'	ML
	IE 3040	1"	1/8"			12', 20'	ML
	IE 3042	1 1/2"	1/8"			12'	AN, ML
						20'	ML
	IE 3043	2 1/2"	1/16"			12'*	AN, ML
	IE 3044	2 1/2"	1/8"			12'*	AN, ML
	IE 3046	3"	1/8"			12', 20'	ML
	IE 3048	4"	1/8"			12'	AN, ML
						20'	ML
	IE 3050	5"	1/8"			12'	AN, ML
						20'	ML
	IE 3060	6"	1/8"			12'	AN, ML


***Min. 550lb order qty on 12ft ML only.**



NOTE: While some of our Round, Square and Rectangular Hollow Tubes might seem like they can fit inside one another, the only Tubes we guarantee will marry together are our Telescopic Tubes. All other Hollow Tubes are industry standard profiles that have not been designed to fit together.

NOTE: Minimum order quantities may apply on 20ft, 21ft & 24ft material.

FINISHES: AN-Anodized, **BC**-Brite Clear, **ML**-Mill

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.




DRAWING	PART NUMBER	DIMENSIONS				LENGTH	FINISH
		E	A	T	I/R		
HOLLOW TUBE - Square							
	IE 3210	1/2"	1/2"	1/16"		12'	AN, ML
	IE 3211	5/8"	5/8"	1/16"		12'	AN, ML
	IE 3212	3/4"	3/4"	0.050"		12'	AN
	IE 3214	1"	1"	1/16"		12', 21'	AN, ML
						24'	ML
	IE 3216	1 1/2"	1 1/2"	0.050"		8'	BC
						12'	AN, ML
	IE 3228	3/4"	3/4"	1/8"		20'	AN, ML
	IE 3230	1"	1"	0.120"		12'	AN, ML
						21', 24'	AN, ML
	IE 3233	1 1/2"	1 1/2"	0.095"		21', 24'	ML
	IE 3234	1 1/2"	1 1/2"	1/8"		12'	AN
						21'	ML
	IE 3235	1 3/4"	1 3/4"	0.120"		21', 24'	ML
	IE 3236	2"	2"	1/8"		12', 20', 21', 24'	ML
	IE 3239	2 1/2"	2 1/2"	1/8"		12', 24'	ML
	IE 3240	3"	3"	0.125"		21'	ML
	IE 3260	4"	4"	1/4"		20'	ML
HOLLOW TUBE - Rectangular							
	IE 3410	1"	1.5"	1/8"		12'	AN, ML
						21'	ML
	IE 3411	1"	2"	0.095"		24'	ML
	IE 3412	1"	2"	1/8"		12'	AN, ML
	IE 3413	1"	2"	1/8"		24'	AN, ML
	IE 3414	1"	3"	0.120"		12'	AN, ML
						24'	ML
	IE 3416	1 1/4"	3"	1/8"		12'	AN
	IE 3419	1"	4"	1/8"		24'	ML




NOTE: While some of our Round, Square and Rectangular Hollow Tubes might seem like they can fit inside one another, the only Tubes we guarantee will marry together are our Telescopic Tubes. All other Hollow Tubes are industry standard profiles that have not been designed to fit together.

NOTE: Minimum order quantities may apply on 20ft, 21ft & 24ft material.
HOLLOW TUBE - Square and Rectangle require minimum order of 100 lbs.

FINISHES: AN-Anodized, **BC**-Brite Clear, **ML**-Mill

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.



DRAWING	PART NUMBER	DIMENSIONS				LENGTH	FINISH
		E	A	T	I/R		
HOLLOW TUBE - Rectangular							
	IE 3420	2"	4"	1/8"		12'* 21' 24'	ML AN, ML ML
	IE 3423	1 1/2"	2"	1/8"		12'	ML
	IE 3426	2"	6"	1/8"		21', 24'	ML
	IE 3428	1 3/4"	4"	1/8"		12'*	ML
	IE 3430	1 3/4"	5"	1/8"		12'*	ML
	IE 3433	1 3/4"	4"	3/32"		12'*	ML
	IE 3434	1 3/4"	4 1/2"	3/32"		21'*	ML
HOLLOW TUBE - Telescopic	(IE3213, IE3215 and IE3232 are the only telescopic tubes designed to fit together)						
	IE 3213	3/4"	3/4"	0.100"	**	12', 24'	ML
	IE 3215	1 1/4"	1 1/4"	0.090"	**	12', 24'	ML
	IE 3217	1 1/4"	1 1/4"	0.120"	**	12', 24'	ML
	IE 3219	1.530"	1.530"	1/8"	**	12', 24'	ML
	IE 3220	1"	1"	0.062"	**	12', 24'	ML
	IE 3232	1"	1"	0.120"	**	12', 24'	ML
	IE 3237	2"	2"	0.120"	**	20'	ML
THRESHOLD							
	IE 5824***	1/4"	4"			3', 4', 6', 12'	ML
	IE 5825***	1/4"	5"			3', 4', 6', 12'	ML
	IE 5826***	1/4"	6"			3', 4', 6', 12'	ML
	IE 5834***	1/2"	4"			3', 4', 6', 12'	ML
	IE 5835***	1/2"	5"			3', 4', 6', 12'	ML
	IE 5836***	1/2"	6"			3', 4', 6', 12'	ML
	IE 5847	0.185"	2 1/2"			12'	ML

***Min. 550 lb order qty.**

** **Radius Dimensions:**

P/No.	Outside radius	Inside radius
IE-3213	0.100"	0.100"
IE-3215	0.188"	0.098"
IE-3217	0.188"	0.068"
IE-3219	0.200"	0.200"
IE-3220	0.162"	0.100"
IE-3232	0.120"	0.120"
IE-3237	0.188"	0.250"

***Threshold Details:**

3, 4 and 6 foot lengths are drilled.
12 foot lengths are not drilled.






NOTE: While some of our Round, Square and Rectangular Hollow Tubes might seem like they can fit inside one another, the only Tubes we guarantee will marry together are our Telescopic Tubes. All other Hollow Tubes are industry standard profiles that have not been designed to fit together.

NOTE: Minimum order quantities may apply on 20ft, 21ft & 24ft material.
HOLLOW TUBE - Square and Rectangle require minimum order of 100 lbs.

FINISHES: AN-Anodized, **ML**-Mill






©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.



DRAWING	PART NUMBER	DESCRIPTION
J CAP		
	FR 0230	ALUMINUM CAP FOR 1/16" MATERIAL **LENGTH** — **FINISH** 12' — AN, BC
	FR 0330	ALUMINUM CAP FOR 7/64" MATERIAL **LENGTH** — **FINISH** 12' — AN
	FR 0430	ALUMINUM CAP FOR 5/32" MATERIAL **LENGTH** — **FINISH** 12' — AN
	FR 2132	ALUMINUM BOTTOM RAIL CAP FOR 1/4" MATERIAL **LENGTH** — **FINISH** 8' — BC 12' — AN, BC, BZ
	FR 2135	ALUMINUM CAP FOR 3/8" MATERIAL **LENGTH** — **FINISH** 12' — AN, BC


FINISHES: AN-Anodized, **BC**-Brite Clear, **BS**-Brass, **BZ**-Bronze, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed






©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.

DRAWING	PART NUMBER	DESCRIPTION
J CAP		
	FR 2136	ALUMINUM CAP FOR 1/2" MATERIAL **LENGTH** — **FINISH** 12' — AN
	FR 2137	ALUMINUM BOTTOM CAP FOR 5/16" MATERIAL **LENGTH** — **FINISH** 12' — AN, BC, BS
	FR 2138	ALUMINUM BOTTOM CAP FOR 3/4" MATERIAL **LENGTH** — **FINISH** 12' — AN
	FR 3132	ALUMINUM TOP RAIL CAP FOR 1/4" MATERIAL **LENGTH** — **FINISH** 8' — BC, BS 12' — AN, BC, SS
	FR 3139	ALUMINUM BOTTOM CAP FOR 5/16" MATERIAL **LENGTH** — **FINISH** 12' — AN, BC

FINISHES: AN-Anodized, **BC**-Brite Clear, **BS**-Brass, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed







©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.



DRAWING	PART NUMBER	DESCRIPTION
J CAP		
	FR 3264	ALUMINUM CAP FOR 5/8" MATERIAL **LENGTH** — **FINISH** 12' — AN
	FR 3265	ALUMINUM FLANGE CAP FOR 5/8" MATERIAL **LENGTH** — **FINISH** 12' — AN
MIRROR EDGE MOULDING		
	FR 1124	ALUMINUM DECORATIVE MIRROR TRIM FOR 1/4" MATERIAL **LENGTH** — **FINISH** 12' — AN, BC, BS, SS
	FR 1125	ALUMINUM EDGING FOR 1/4" MATERIAL CAN BE USED WITH CAP FR-2132 AND FR-3132 **LENGTH** — **FINISH** 12' — AN, BC
	FR 1127	ALUMINUM EDGING FOR 1/4" MATERIAL CAN BE USED WITH CAP FR-2132 AND FR-3132 **LENGTH** — **FINISH** 8' — AN, BC, BS 12' — AN, BC, BK, BS, SS







FINISHES: AN-Anodized, **BC**-Brite Clear, **BK**-Brite Black, **BS**-Brass, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed

©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.

DRAWING	PART NUMBER	DESCRIPTION
DIVIDER		
	FR 0231	ALUMINUM DIVIDER FOR 1/16" MATERIAL **LENGTH** **FINISH** 12' AN
	FR 0431	ALUMINUM DIVIDER FOR 5/32" MATERIAL **LENGTH** **FINISH** 12' AN
	FR 1131	ALUMINUM DIVIDER FOR 1/2" MATERIAL **LENGTH** **FINISH** 12' AN
	FR 2131	ALUMINUM DIVIDER FOR 1/4" MATERIAL **LENGTH** **FINISH** 12' AN, BC, BS, SB
	FR 3131	ALUMINUM DIVIDER FOR 3/4" MATERIAL **LENGTH** **FINISH** 12' AN
	FR 3263	ALUMINUM DIVIDER FOR 5/8" MATERIAL **LENGTH** **FINISH** 12' AN

FINISHES: **AN**-Anodized, **BC**-Brite Clear, **BS**-Brass, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed




©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.

DRAWING	PART NUMBER	DESCRIPTION
DIVIDER		
	FR 3266	ALUMINUM DOUBLE DIVIDER FOR 5/8" MATERIAL **LENGTH** **FINISH** 12' AN, ML
	FR 5131	ALUMINUM DOUBLE DIVIDER FOR 3/4" MATERIAL **LENGTH** **FINISH** 12' AN
	FR 6131	ALUMINUM DIVIDER FOR 5/16" MATERIAL **LENGTH** **FINISH** 12' AN
CORNER MOULDING		
	FR 4135	ALUMINUM EDGING FOR 3/4" MATERIAL PRE DRILLED **LENGTH** **FINISH** 12' AN, SS
	FR 4136	ALUMINUM 90° CORNER MOULDING FOR 3/4" MATERIAL **LENGTH** **FINISH** 12' AN
	FR 5130	ALUMINUM O/S & I/S CORNER MOULDING FOR 1/4" MATERIAL **LENGTH** **FINISH** 12' AN, BC, BS

FINISHES: AN-Anodized, **BC**-Brite Clear, **BS**-Brass, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed





©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.



DRAWING	PART NUMBER	DESCRIPTION
CORNER MOULDING		
	FR 5140	ALUMINUM 90° CORNER MOULDING FOR 5/16" MATERIAL **LENGTH** — **FINISH** 12' — AN, BC
	FR 5145	ALUMINUM 90° CORNER MOULDING FOR 1/2" MATERIAL **LENGTH** — **FINISH** 12' — AN
	FR 7130	ALUMINUM FIXED GLASS MOULDING FOR 1/4" MATERIAL **LENGTH** — **FINISH** 12' — AN

FINISHES: AN-Anodized, **BC**-Brite Clear, **BS**-Brass, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed







©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.

DRAWING	PART NUMBER	DESCRIPTION
Z CLIP		
	FR 0130	ALUMINUM "Z" CLIP EXTRUSION FOR HANGING PANELS 1.385" DEPTH PROVIDES 3/8" LIFT OFF **QUANTITY** / **FINISH** 12' / ML
	FR 0130 PC	ALUMINUM "Z" CLIP FOR HANGING PANELS 2" LENGTHS PRE-DRILLED **QUANTITY** / **FINISH** SINGLE / ML BOX OF 250 / ML
	FR 0150	ALUMINUM GROOVED "Z" CLIP **LENGTH** / **FINISH** 12' / ML
	FR 8130	ALUMINUM "Z" BAR **LENGTH** / **FINISH** 12' / AN

FINISHES: AN-Anodized, **BC**-Brite Clear, **BS**-Brass, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed

©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.









DRAWING	PART NUMBER	DESCRIPTION
BOTTOM TRACK - Sliding		
	EM 3140 BT	1/2" SLIDING TRACK BOTTOM **LENGTH** **FINISH** 12' AN
	EM 3142 BT	1/4" SLIDING TRACK BOTTOM **LENGTH** **FINISH** 12' AN
BOTTOM TRACK		
	FR 3601	BOTTOM TRACK USE WITH FR 3600TP & FR 3611 **LENGTH** **FINISH** 12' AN, BC, BS
	FR 3606	TRACK INSERT FITS INTO FR 3600TP **LENGTH** **FINISH** 8' AN
	FR 3615	1/4" BOTTOM TRACK USE WITH FR 3700TP **LENGTH** **FINISH** 12' AN
	FR 3617	1/4" BOTTOM TRACK USE WITH FR 3700TP **LENGTH** **FINISH** 12' AN

FINISHES: AN-Anodized, **BC**-Brite Clear, **BS**-Brass

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.









DRAWING	PART NUMBER	DESCRIPTION
TOP TRACK - Sliding		
	EM 3140 TP	1/2" SLIDING TRACK TOP **LENGTH** **FINISH** 12' AN
	EM 3142 TP	1/4" SLIDING TRACK TOP **LENGTH** **FINISH** 12' AN
TOP TRACK		
	FR 3600 TP	1/4" TOP TRACK **LENGTH** **FINISH** 12' AN, BC, BS
	FR 3700 TP	1/4" TOP TRACK **LENGTH** **FINISH** 12' AN
GASKET		
	FR 2955	VINYL GASKET FOR 1/4" MATERIAL SOLD IN ROLLS OF 250' OR BY THE FOOT AVAILABLE IN CLEAR OR GREY
	FR 147SIL04	CO-EXTRUDED PVC SILENCER FOR USE ON 1/4" GLASS AVAILABLE IN GREY

FINISHES: AN-Anodized, **BC**-Brite Clear, **BS**-Brass

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.




DRAWING	PART NUMBER	DESCRIPTION
SHOE		
	FR 3611	SHOE TRACK - USE WITH FR 3600TP AND FR 3601BT **LENGTH** / **FINISH** 12' / AN, BC, BS
	FR 3616	SHOE TRACK - USE WITH FR 3700TP, FR 3615 OR FR 3617 **LENGTH** / **FINISH** 12' / AN
	FR 3618	SHOE TRACK - USE WITH FR 3700TP, FR 3615 OR FR 3617 **LENGTH** / **FINISH** 12' / AN
WHEELS		
	FR 147WHEEL	NYLON WHEEL FOR SHOWCASE SHOES GREY MINIMUM QUANTITY 50 PIECES
END CAP		
	FR 147CAP	CHROME END CAP FOR SLIDING TRACK SYSTEM
LOCK		
	FR 147LOCK	LOCK WITH KEY FOR SLIDING TRACK SYSTEMS

FINISHES: AN-Anodized, **BC**-Brite Clear, **BS**-Brass

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.










DRAWING	PART NUMBER	DESCRIPTION
1/4" SLIDING TRACK KITS		
	FR 147KITGY (GREY FR 2955) FR 147KITCL (CLEAR FR 2955)	¼" SLIDING TRACK KIT CONSISTING OF:

PART NUMBER	DESCRIPTION	QTY	LENGTH	FINISH
FR 3600 TP	TOP TRACK	1	12'	AN
FR 3601	BOTTOM TRACK	1	12'	AN
FR 3611	SHOE TRACK	1	12'	AN
FR 147WHEEL	NYLON WHEEL	6		GREY
FR 147CAP	END CAP	6		CHROME
FR 147SIL04	PVC SILENCER	1		GREY
FR 2955	VINYL GASKET	1	12'- 6"	GREY/CLEAR

FINISHES: AN-Anodized, **BC**-Brite Clear, **BS**-Brass

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.









DRAWING	PART NUMBER	DESCRIPTION
CHANNEL CAP		
	EM 3197	ALUMINUM CHANNEL CAP FOR 3/4" MATERIAL **LENGTH** **FINISH** 12' AN, BC, SS
	EM 3198	ALUMINUM CHANNEL CAP FOR 5/8" MATERIAL **LENGTH** **FINISH** 12' AN, BC, SS
	EM 7006	VINYL CHANNEL CAP FOR 3/4" MATERIAL **LENGTH** **VINYL COLOUR** 8' ALMOND, BLACK, WHITE
CORNER BEAD		
	EM 5432**	5/8" CORNER BEAD **LENGTH** **FINISH** 12' AN
COUNTER EDGE		
	EM 2402 EM 2404	COUNTER EDGING **LENGTH** **FINISH** 12' EM 2402 7/8" AN 12' EM 2404 1.25" AN
	EM 2602	7/8" COUNTER CENTRE EDGING **LENGTH** **FINISH** 12' AN, BC, BS

**Min. 550 lb order qty.

FINISHES: AN-Anodized, **BC**-Brite Clear, **BK**-Brite Black, **BS**-Brass, **BZ**-Bronze, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed





©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.



DRAWING	PART NUMBER	DESCRIPTION
T-EDGE		
	EM 3162	11/16" T-EDGING **LENGTH** **FINISH** 12' AN
	EM 3191	1 3/8" T-EDGING **LENGTH** **FINISH** 12' AN, BC, SS
	EM 3193	27/32" T-EDGING **LENGTH** **FINISH** 12' AN, SS
	EM 3194	27/32" T-EDGING **LENGTH** **FINISH** 12' AN, SS
	EM 3195	1 1/4" T-EDGING **LENGTH** **FINISH** 12' AN, SS


FINISHES: AN-Anodized, **BC**-Brite Clear, **BK**-Brite Black, **BS**-Brass, **BZ**-Bronze, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed







©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.

DRAWING	PART NUMBER	DESCRIPTION
T-EDGE		
	EM 3196	1 11/16" T-EDGING **LENGTH** **FINISH** 12' AN, SS
	EM 5431	5/16" T-EDGING **LENGTH** **FINISH** 12' AN
	EM 5481	13/16" T-EDGING **LENGTH** **FINISH** 12' AN
	EM 5482	13/16" T-EDGING **LENGTH** **FINISH** 12' AN, BC

FINISHES: **AN**-Anodized, **BC**-Brite Clear, **BK**-Brite Black, **BS**-Brass, **BZ**-Bronze, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed






©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.



DRAWING	PART NUMBER	DESCRIPTION
FINGER PULL		
	EM 3187	3/4" FINGER PULL **LENGTH** / **FINISH** 12' / AN
	EM 3188	5/8" FINGER PULL **LENGTH** / **FINISH** 12' / AN, SS
	EM 3189	3/4" FINGER PULL **LENGTH** / **FINISH** 12' / AN, BC
	EM 3190	5/8" FINGER PULL **LENGTH** / **FINISH** 12' / AN, SS
DRAWER PULL		
	EM 3181	1 3/16" DRAWER PULL **LENGTH** / **FINISH** 8' / AN 12' / AN
	EM 3182	1 3/16" DRAWER PULL **LENGTH** / **FINISH** 12' / AN


FINISHES: AN-Anodized, **BC**-Brite Clear, **BK**-Brite Black, **BS**-Brass, **BZ**-Bronze, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed






©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.

DRAWING	PART NUMBER	DESCRIPTION
DRAWER PULL		
	EM 3183	1 5/16" DRAWER PULL **LENGTH** / **FINISH** 12' — AN
	EM 3184	1 5/16" DRAWER PULL **LENGTH** / **FINISH** 8' — AN 12' — AN
	EM 3186	1 21/32" DRAWER PULL **LENGTH** / **FINISH** 8' — AN, SS 12' — AN, SS
	EM 3199	1 17/32" DRAWER PULL **LENGTH** / **FINISH** 12' — AN, BC, SS
	EM 3200	1 17/32" DRAWER PULL **LENGTH** / **FINISH** 12' — AN, BC, SS

FINISHES: AN-Anodized, **BC**-Brite Clear, **BK**-Brite Black, **BS**-Brass, **BZ**-Bronze, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed


©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.








DRAWING	PART NUMBER	DESCRIPTION
SLOTWALL		
	EM 0195	ALUMINUM SLOTWALL INSERT **LENGTH** **FINISH** 8' ML
	EM 0197	ALUMINUM SLOTWALL INSERT **LENGTH** **FINISH** 8' ML
	EM 0206	ALUMINUM SLOTWALL INSERT **LENGTH** **FINISH** 8' ML
	EM 0208	ALUMINUM SLOTWALL INSERT **LENGTH** **FINISH** 4' ML 8' ML
	EM 0300	VINYL DECORATIVE SLOTWALL INSERT **LENGTH** **COLOUR** 8' BLACK MINIMUM ORDER 330 PIECES.

FINISHES: AN-Anodized, **BC**-Brite Clear, **BK**-Brite Black, **BS**-Brass, **BZ**-Bronze, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed


©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.





DRAWING	PART NUMBER	DESCRIPTION
SLOTWALL		
	EM 0700	SLOTWALL INTER-LOCKING PANEL **LENGTH** **FINISH** 146" ML
	EM 1074	ALUMINUM SLOTWALL INSERT **LENGTH** **FINISH** 97" ML
TRIM CAP		
	EM 0142	ALUMINUM 3/4" TRIM CAP FLEXIBLE TO MOULD AROUND TIGHT RADIUS **LENGTH** **FINISH** 12' BC
AWNING RAIL		
	BM 3078	ALUMINUM AWNING RAIL 3/8" I.D. **LENGTH** **FINISH** 12' AN
SLIDING TRACK		
	BM 3084	ALUMINUM SLIDING TRACK **LENGTH** **FINISH** 12' AN

FINISHES: AN-Anodized, **BC**-Brite Clear, **BK**-Brite Black, **BS**-Brass, **BZ**-Bronze, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed

©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.







DRAWING	PART NUMBER	DESCRIPTION
SCREEN DOOR		
	EM 3150	SCREEN DOOR EXTRUSION 1" HEIGHT **LENGTH** / **FINISH** 12' / BROWN, WHITE
CHALK TRAY		
	FR 7255	3 1/2" ALUMINUM CHALK TRAY RAIL **LENGTH** / **FINISH** 12' / AN

FINISHES: AN-Anodized, **BC**-Brite Clear, **BK**-Brite Black, **BS**-Brass, **BZ**-Bronze, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed

©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.



DRAWING	PART NUMBER	DIMENSIONS				LENGTH	FINISH
		E	A	T	I/R		
HEADER - For 1/2" Material							
	CP 0308	1 1/4"	1"	3/4"	9/16"	12'	BC, SS
	CP 0388 SNAP IN FILLER INSERT FOR CP 0308	0.591"	0.508"			12'	BC
CHANNEL - Architectural							
	IE 1615*	3/4"	0.524"	1/16"	0.398"	8', 12'	BC, SS
	IE 1621	3/4"	9/16"	0.060"	7/16"	8'	AN, SS
						12'	AN, BC, BK, BS, BZ, SS
CHANNEL - Rounded Outside - Architectural							
	SE 1625**	3/8"	9/16"	0.080"	0.403"	12'	AN, BC, SB, SS
	SE 1626**	3/8"	0.678"	0.080"	0.518"	12'	AN, BC, SB, SS
	SE 1627**	3/4"	9/16"	0.080"	0.403"	98", 12'	AN, BC, SB, SS
	SE 1628**	3/4"	0.678"	0.080"	0.518"	12'	AN, BC, SB, SS




*IE1615 fits into header extrusion

Radius Dimensions: **R1 - 0.031", **R2** - 0.063", **R3** - 0.031"

FINISHES: AN-Anodized, **BC**-Brite Clear, **BK**-Brite Black, **BS**-Brass, **BZ**-Bronze, **ML**-Mill, **SB**-Satin Black, **SS**-Stainless Steel Brushed


©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.








DRAWING	PART NUMBER	DESCRIPTION
	EM 0172	1 1/4" TICKET MOULDING SNAPS ON TO METAL SHELVING **LENGTH** — **FINISH** 4' DRILLED ML 12' AN, ML
	EM 0177	1 1/4" TICKET MOULDING **LENGTH** — **FINISH** 8' ML 12' AN, ML
	EM 0182	1 1/8" RIB TICKET MOULDING **LENGTH** — **FINISH** 12' AN

FINISHES: **AN**-Anodized, **ML**-Mill


©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.







DRAWING	PART NUMBER	DESCRIPTION
	FR 9471	BLACK VINYL GASKET FOR SHOE BASE FR 9475 SOLD PER FOOT
	FR 9475	HOLLOW SHOE BASE USE WITH FR 9471 GASKET **LENGTH** **FINISH** 10' ML
	FR 9480	1 5/8" x 1 5/8" x 1/8" CHANNEL USE WITH FR 9481 GASKET **LENGTH** **FINISH** 12' AN
	FR 9481BK	BLACK VINYL GASKET FOR FR 9480 CHANNEL SOLD PER FOOT
	IE 1460	CLADDING FOR FR 9475 **LENGTH** **FINISH** 10' BC, SS

FINISHES: AN-Anodized, **BC**-Brite Clear, **ML**-Mill, **SS**-Stainless Steel Brushed

©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.








DRAWING	PART NUMBER	DESCRIPTION
	SE 1001	EX-1 CHANNEL 6" WITH 1/4" SLOT **LENGTH** / **FINISH** 24'-3" (291") / AN, ML
	SE 1002	EX-2 CHANNEL BOX FRAME 7 1/2" **LENGTH** / **FINISH** 24'-3" (291") / AN, ML
	SE 1003	EX-3 ANGLE 1" x 1" x .062" **LENGTH** / **FINISH** 24'-3" (291") / AN, ML
	SE 1005	EX-5 F-CHANNEL 1 1/2" x 1" x 1/4" SLOT **LENGTH** / **FINISH** 24'-3" (291") / AN, ML
	SE 1006	EX-6 ANGLE 1 1/4" x 1 1/4" x .093" **LENGTH** / **FINISH** 24'-3" (291") / AN, ML

NOTE: Additional finishes available on request.

FINISHES: AN-Anodized, **ML**-Mill

©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.






DRAWING	PART NUMBER	DESCRIPTION
	SE 1007	EX-7 FRAME 1 1/2" FACE **LENGTH** / **FINISH** 24'-3" (291") / AN, ML
	SE 1008	EX-8 CHANNEL 8.125" x 1/4" SLOT **LENGTH** / **FINISH** 24'-3" (291") / AN, ML
	SE 1011	EX-11 DIVIDER 1.625" x 1.2" **LENGTH** / **FINISH** 24'-3" (291") / AN, ML
	SE 1012	EX-12 FRAME 1" FACE **LENGTH** / **FINISH** 24'-3" (291") / AN, ML

NOTE: Additional finishes available on request.

FINISHES: AN-Anodized, **ML**-Mill

©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.








DRAWING	PART NUMBER	DESCRIPTION
	SE 1013	EX-13 FRAME 2.25" FACE **LENGTH** / **FINISH** 24'-3" (291") — AN, ML
	SE 1014	EX-14 CHANNEL 4" WITH 1/4" SLOT **LENGTH** / **FINISH** 24'-3" (291") — AN, ML

NOTE: Additional finishes available on request.

FINISHES: AN-Anodized, **ML**-Mill

©2022 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.



DRAWING	PART NUMBER	DESCRIPTION
	CP 7915*	2.5" TUBE **LENGTH** **FINISH** 236" ML
	FR 7004	1.26" TUBE **LENGTH** **FINISH** 183", 196" ML
	FR 7006	1.5" TUBE **LENGTH** **FINISH** 196" ML
	FR 7007	1.75" TUBE **LENGTH** **FINISH** 236" ML
	FR 7010	3" HEADER **LENGTH** **FINISH** 196" AN, BK, CR, DB, ML, WH






***Min. 550 lb order qty.**

NOTE: Additional finishes available on request.

FINISHES: AN-Anodized, **BK**-Brite Black, **CR**-Cream, **DB**-Dark Bronze, **ML**-Mill, **WH**-White

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.






DRAWING	PART NUMBER	DESCRIPTION
	FR 7011	2.5" HEADER **LENGTH** **FINISH** 144" AN, BK, CR, DB, ML, WH
	CP 7266	3" FASCIA **LENGTH** **FINISH** 236" AN
	CP 7900	4" FASCIA **LENGTH** **FINISH** 236" AN
	CP 0501	BOTTOM WEIGHT BAR **LENGTH** **FINISH** 196" ML
	CP 1013	BOTTOM WEIGHT BAR **LENGTH** **FINISH** 183" WH

NOTE: Additional finishes available on request.

FINISHES: AN-Anodized, **BK**-Brite Black, **CR**-Cream, **DB**-Dark Bronze, **ML**-Mill, **WH**-White

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.



DRAWING	PART NUMBER	DESCRIPTION
	FR 7025	BOTTOM WEIGHT BAR **LENGTH** / **FINISH** 196" / AN, WH
	CP 6010	CEILING TRACK **LENGTH** / **FINISH** 236" / AN
	CP 7920	BRACKET **LENGTH** / **FINISH** 236" / AN

NOTE: Additional finishes available on request.

FINISHES: AN-Anodized, **WH**-White

©2023 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.

PRODUCT	DESCRIPTION	PART NUMBER	SIZE
Mitrebond Adhesive with Aerosol Activator			
	Unika Mitrebond is a high viscosity, fast curing superglue adhesive which provides tough, durable high-performance bonds. • Compatible with most building materials, porous and non-porous • Low odour • Adheres aluminum to aluminum, timber, medium density fibreboard, glass, ceramics, chipboard, steel, porcelain, some plastics and more	GA 1000	200 ml. aerosol, 1.5 fl. oz. adhesive
		GA 1010	400 ml. aerosol, 3.0 fl. oz. adhesive
Power Grip Double-Sided Adhesive Tape			
	EVERBUILD Mammoth Tape is a polyester fabric re-enforced double-sided tape with a powerful synthetic rubber/resin adhesive. • Designed for bonding almost any material • Can be used indoors and outdoors • Totally weatherproof • High bond strength • Will stick aluminum to all metals, ceramics, wood, glass, plastics, brickwork, PVC, etc.	GA 2000	0.5" x 8 ft.
		GA 2010	1" x 8 ft.
General Purpose Silicone			
	EVERBUILD General Purpose Silicone is a multi-purpose, acetoxy cure, silicone sealant and adhesive. • Cures quickly • High strength waterproof seal • Contains a fungicide to prevent in product mould growth • Useful for securing aluminum to glass, metal and plastic	GA 3000	310 ml.
Stixall Adhesive and Sealant			
	EVERBUILD Stixall is a one part, chemically curing, solvent free sealant and adhesive. • Has the best qualities of both polyurethane and silicone • Bonds aluminum to virtually all materials, porous and non-porous, such as glass, marble, granite, mirrors, bricks, stone, plasterboard, concrete, all metals, hard plastic, ceramics, fibreglass, timber and more	GA 4000	300 ml.

©2020 All images and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.